

HIGH-SPEED COLOUR DOCUMENT SYSTEMS







Be Original.

The high-performance MX7081/8081 encompass brilliant, consistent colour quality with advanced workflow efficiency.

SUPERIOR CAPABILITY, INTUITIVE WORKFLOW, DYNAMIC OPERATION

The Sharp MX7081 and MX8081 COLOUR DOCUMENT SYSTEMS are designed using the latest technology available to deliver the performance, features and reliability needed in today's busy workplace. Built for high-volume environments, central reprographics departments and copy rooms, these new document systems are complemented with robust paper handling and productive output capabilities, once found only in commercial print facilities. These new models also offer leading-edge security features to help businesses protect their data and personal information.

Sharp's next generation COLOUR CONSISTENCY SYSTEM helps ensure brilliant colour output, page-after-page and job-after-job, for repeatable, high-quality results. Businesses can rest assured that producing professional-looking colour documents in-house can be easier and more economical than ever before.

Key Features

- EASE-OF-USE Award-winning touchscreen display with intuitive menu navigation combined with alternative touchless operation capabilities for basic copying, scanning and print release.
- PRODUCTIVE FEATURES Full multifunction capability out-of-box, including copying, network printing
 and colour network scanning. Adobe Embedded Print Engine technology natively processes PDF files
 from a wide variety of sources, delivers peak performance and provides superior rendering accuracy.
- ADVANCED COLOUR WORKFLOW The latest MXPE15 Fiery® Print Server is available for corporate
 offices, CRDs and in-plant printing facilities that require precision colour control and job management.

The MX7071 and MX8081 HIGH SPEED COLOUR DOCUMENT SYSTEMS are also easy-to-use and offer enhanced productivity, all to provide customers with a seamless, intuitive experience and the confidence in knowing their jobs will come out right the first time, every time.

That's the SHARP DIFFERENCE.



More features, powerful productivity, greater results



HIGH RESOLUTION COLOUR TOUCHSCREEN

PRODUCTIVITY PLUS QUALITY AND EFFICIENCY

AVAILABLE FIERY®
PRINT SERVER

A powerful, smart MFP that transforms office productivity and helps meet the demands of high-volume office customers.

- 300-sheet Duplex Single Pass Feeder (DSPF) scans documents at up-to 240 images per minute.
- Scan Preview feature offers on-the-fly page editing with easy fingertip navigation.
- Triple air-feed paper handling option offers high reliability and is virtually maintenance-free.
- Offers 8,500-sheet maximum paper capacity and media support up-to 110 lb. cover stock (300 gsm).




- High-performance print controller with included PCL®6 and Adobe® PostScript®3™.
- True **1,200** x **1,200** dpi printing provides beautiful images and enhanced clarity for fine details such as small text and graphics.
- The Sharp **Colour Consistency System** with next generation image process control delivers high quality colour output and maintains optimum colour balance and toner density page-after-page.
- Easily access popular cloud applications, including Microsoft[®] OneDrive[®] for Business, SharePoint[®] Online, Box and Google Drive[™], with the Sharp Cloud Connect feature.
- Standard **Job Management** features make it easy to print on-demand as well as view jobs, retain jobs, combine jobs, select print settings and more.
- Supports the Sharp OSA development platform, enabling businesses to easily integrate with network applications and cloud services.
- Compact PDF feature dramatically reduces the file size of scanned colour documents, resulting in decreased network traffic and more efficient use of disk and cloud storage.
- Convenient End-of-Lease feature can erase all files on the hard disk drive, all user data, job status
 data and address book data at trade-in time.



FLEXIBLE DESIGN ENABLES INTELLIGENT FUNCTIONALITY



High-capacity 300-sheet DSPF with 150-business card feeder for increased efficiency and scanning capabilities.



Triple air-feed LCT paper trays maximize reliability and minimize downtime. Pneumatic sensors maintain consistent air flow.

CFi[®] | Fiery

With the MXPE15 Fiery Print Server, achieve higher productivity and consistent colour quality.

From intuitive navigation to unsurpassed productivity, these MFPs are equipped to deliver optimum results.

Simple and Intuitive Operation

The new MX7081/8081 high-speed colour document systems feature the latest 10.1" (diagonally measured) high-resolution touchscreen with a signature retractable keyboard for unmatched ease-of-use.

A "Well-connected" Device

Connecting a multifunction printer (MFP) to your wireless network and accessing it from mobile devices has never been so easy with the MX7081/8081 standard wireless networking features. Print from or scan to popular cloud services such as **Microsoft OneDrive for Business**, **SharePoint Online**, and **Google Drive** with the Sharp **Cloud Connect** feature. **Single Sign-on (SSO)** support for accessing these services makes scan-to-folder and scan-to-email operations simpler than ever. Even printing from your desktop is made easier with Sharp's **Serverless Print Release** function. **Easily send a job to one device**, **and print it on another** when and where it's most convenient for you.

Robust Paper Handling for Busy High-Volume Environments

Sharp understands the importance of productivity, that's why the new MX7081/8081 high-speed colour document systems offer up-to **8,500-sheet paper capacity** and support **media weights** up-to **110 lb. cover** (300 gsm). The Sharp exclusive paper feed option uses **air-feed technology**, which maximizes reliability and minimizes downtime. The **triple air-feed system** directs air flow with precision accuracy to ensure proper paper handling. Also, to **help drive productivity**, a standard 300-sheet dual head document feeder can scan up-to 240 images per minute.

The MXPE15 Fiery® Print Server – an advanced solution for efficient print production.

Improve Document Production with Best-in-class Processing and Timesaving Workflow

The Fiery MXPE15 print server can produce professional, finished documents in less time with easy-to-use job management tools. Operators can use Fiery Command WorkStation®, the **powerful**, **intuitive job management interface**, to set up and print complex jobs in-house, regardless of their experience.

- Print faster, smarter and seamlessly turn in-house printing into a professional operation
- Achieve unparalleled image and colour quality ensure consistent reproduction of your brand
- Add value and impact customize your output with variable data printing capabilities.

Add the optional **Fiery Automation Package** to gain a touchless job submission workflow and professional preflight tools.

The MX7081/8081 High-Speed Colour Document Systems provide high-performance, high-functionality and high efficiency to exceed your business needs.

innovative features

High-Quality Printing

1,200 x 1,200 dpi resolution produces razor-sharp documents. Adobe[®] PostScript[®] 3™ drivers offer extensive job control.

Saddle-Stitch

Make high-quality

Finishers

Post Sheet Inserter

Produce professional looking documents with pre-printed covers and chapter inserts with the available post sheet inserter.

Duplexing Single Pass Feeder (DSPF)

Standard 300-sheet dual head document feeder scans both sides of a document in a single pass.

Business Card

OCR scans up-to 150 business cards with the DSPF and export them to a contact management system.

Easy-to-Use Smart

Tablet-style menu provides quick access to features and functions.

Built-in Retractable

Full-size QWERTY keyboard enables easy data entry.

Toner Hopper

Lets you change toner on-the-fly to help maximize productivity.







Based on the latest Fiery FS400 Pro system software platform, the Fiery Server delivers performance-boosting features that shorten turnaround times.

Multi-Folding Unit

Provides a variety of folds, including Z-fold, C-fold, Accordion-fold. Double-fold and Half-fold.

Versatile GBC® SmartPunch Pro™

Professional punching system produces up-to seven commonly used punch styles for creating professional bound booklets.

3,100-Sheet Standard **Paper Capacity**

Includes a 2,000-sheet letter size tandem tray, two 500-sheet letter/ legal/ledger size trays that feed media up-to 300 gsm and a 100-sheet bypass tray.

Multi-layered **Security Features**

Leading-edge security features provide enhanced protection of data and personal information and helps protect against network intrusions.

Media Handling

Sharp's 5,000-sheet large capacity paper tray option utilizes triple air-feed technology, which directs air flow with precision accuracy for proper paper handling and enhanced media support up-to 300 gsm.



Sharp's Colour Consistency System

Combines Micro-fine toner with Developer Refresh and advanced Image Process Control. These processes help ensure colour output is always at peak performance.

Convenient Job Management

1TB hard disk drive provides on-board document storage. An intuitive thumbnail view makes it easy to select, edit, reprint, repaginate and more.

Easily Access Popular Cloud Applications

With the Cloud Connect feature, users gain access to Microsoft OneDrive, Google Drive, Dropbox and more. The Sharp Application Portal makes it easy for administrators to add or update apps right from the MFP.



SMARTER COLLABORATION TO ENHANCE AND STREAMLINE WORKFLOWS



Access popular cloud applications, distribute files and print documents more easily.



Scan and convert documents to popular file types seamlessly with the Sharp built-in OCR function.



Standard Serverless Print Release enables users to securely print a job and release it from up-to six supported models on the same network.

Optimize productivity with powerful document workflow solutions that help you work more efficiently.

Distribute, Access and Print Your Documents with Ease

Sharp makes it easy to go beyond traditional network scanning with standard Email Connect and Cloud Connect features. With Email Connect, scan to email is seamlessly integrated with Microsoft Exchange/Office 365[®] and Gmail™ user accounts, making it easy to identify the sender of scanned files. With Cloud Connect, users can easily scan to and print from Microsoft OneDrive for Business, SharePoint Online, Google Drive, Box and Dropbox. And with the Sharp Application Portal, administrators can easily add new apps and update existing apps right from the MFP touchscreen panel.



Scan and Print Files Easily from Mobile Devices

The MX7081/8081 high-speed colour document systems also make it easy to scan and print files from tablets and smartphones using Sharpdesk Mobile, a free downloadable app available for most mobile devices.* These new models also support popular mobile technologies such as Apple® AirPrint®. With standard wireless networking, users can also print directly to the MFP from mobile devices without interfering with the corporate network!

Simplify Managing Different File Types with Intelligent Image Processing

With standard OCR capabilities, users can easily scan and convert documents to popular file formats including Microsoft Word, PowerPoint and Excel, as well as Searchable PDF, Encrypted PDF and others. You can even directly print these same file types from thumb drives, cloud applications and mobile devices. This function is enabled via Qualcomm DirectOffice technology. These new models also support Adobe Embedded Print Engine technology, which direct prints PDF files from a variety of sources with greater performance and rendering accuracy.

Flexible Printing Solutions Help Maximize Productivity

Standard PCL 6 and Adobe PostScript 3 printing systems help you speed through all of your output needs. The Sharp Serverless Print Release feature enables users to securely print a job and release it from up-to six supported models on your network.*

Simplify Complex Business Workflows with Sharp OSA® Technology

Sharp OSA technology can help your business leverage the power of your network applications, back-end systems and cloud services. Easily automate complex processes and help eliminate redundant tasks. Talk to your authorized Sharp dealer to see how they can help you implement a streamlined workflow solution.

COMPREHENSIVE SECURITY HELPS PROTECT YOUR BUSINESS

Manage your device, help safeguard your data, help protect your business.

To help protect employees' privacy and intellectual property, the new MX7081/8081 are armed with leading-edge, multi-layered security features, including Firmware Attack Prevention and Self Recovery, which can help identify a malicious intrusion and restore the machine firmware to its original state. The new Whitelisting feature detects access attempts to the machine file system and denies access if the source data is not on the whitelist. Authority Groups help manage and restrict copying, printing and scanning features to safeguard data and control costs. Administrators can also apply Active Directory® Group Policy to the device, which offers centralized configuration and control. Confidential Printing helps ensure sensitive documents are kept safe by requiring users to enter a PIN code to print them. These models also support Active Directory user authentication and secure Single Sign-on. Integrated ID card authentication is also available.* When you are ready to trade the machine in, a convenient End-of-Lease

These scalable security offerings aim to **protect your intellectual property**, preserve confidential information and help your business meet regulatory requirements such as the Personal Information Protection and Electronic Documents Act (PIPEDA).

feature can erase all data and personal information, as well

*Some features require optional equipment and/or software

as print a confirmation report.



With Sharp Remote Device Manager (SRDM), administrators can take control of system features and simplify installation and management. SRDM makes it easy to view service logs, click counts, history reports and more. Event-driven service alerts help monitor the device and maximize uptime. The centrally managed security dashboard monitors security settings and can automatically reset the security policy if changed locally at the machine. Also, Centralized Admin Password Management and Centralized Power Management make it easy to deploy changes when needed. The Remote Front Panel feature enables administrators to control the machine's LCD panel from a PC to troubleshoot issues and train operators. Sharp also offers both built-in and additional auditing hardware and software to control, access and track usage of each device on the network.*



ENVIRONMENTAL COMMITMENT



An Environmentally Responsible Approach to Product Design

Sharp is committed to environmental sustainability and corporate responsibility including planning, design, manufacturing, distribution and product end-of-life management. The MX7081/8081 adhere to the Sharp Green Products Guidelines in pursuit of these commitments. These guidelines include designing products that consume less power, using recycled materials, reducing the amount of material used in products and packaging, and labeling the type of materials used. Sharp also aims to design products that are upgradable, easy to repair and easy to take apart for recycling.

The MX7081/8081 document systems are **ENERGY STAR®** qualified and **RoHS** compliant to restrict the use of hazardous substances. These products also have low **TEC** (Typical Electricity Consumption) values. Sharp MFPs are **EPEAT®** registered.

Toner Recycling Program

As part of our commitment to helping preserve the environment, Sharp offers our customers zero-waste-to-landfill recycling for Sharp consumables, including cartridges, bottles, toner collection containers and drum units. Sharp encourages customers to recycle their used Sharp toner cartridges in bulk by providing a pre-paid recycling kit for their return to our facility. Please visit https://sharp.ca/en/toner-recycling to learn more.

Environmental Leadership

As a testament to our commitment to the environment, Sharp is a multi-year winner of the ENERGY STAR® annual Excellence in Energy Proficiency Product Design.

For more information about Sharp's environmental leadership including information about energy efficient products, electronics or toner cartridge recycling, please visit https://sharp.ca/en/environmental-policy to learn more.

MX7081/MX8081 Specifications

Main Specification	
MX7081/	Base models include: 300-sheet DSPF, 2,000-sheet tandem
MX8081	paper drawer, (2) 500-sheet paper drawers, 100-sheet bypass
	tray, 1-TB hard disk drive, PCL 6 and Adobe PostScript 3
	network printing, network scanning, retractable keyboard,
	application integration and external accounting modules. Black and colour developer is included.
Туре	Colour multi-function digital document system
Display	10.1" (diagonally measured) colour dot matrix high-resolution
Бюріцу	touch panel tilting display. 1,024 x 600 dots (W-SVGA)
Functions	Copy, print, network print, network scan, document filing and fax1
Copy System	Dry electrostatic transfer/Dual component developer/Magnetic
	brush development/OPC drums/Belt fusing/white LED exposure
Originals	Sheets and bound documents
Max. Original Size	11" x 17"
Copy Size	Min. 5.5" x 8.5", Max. 13" x 19.2"
Copy Speed	MX7081: 75/70 ppm Mono/Colour (8.5" x 11")
	MX8081: 80/80 ppm Mono/Colour (8.5" x 11")
Multiple Copy	Max. 9,999 copies
First Copy Time	MX7081 MX8081
(in seconds) ²	Mono Colour Mono Colour
	Platen Glass 4.0 5.6 3.7 5.1
Warm-up Timo2	DSPF 6.5 9.2 6.3 8.8 66 seconds from main power switch on,
Warm-up Time ²	55 seconds from [Power] button on
Magnification	25% to 400% in 1% increments (with document feeder 25%-200%)
Original Feed	300-sheet/150-business card DSPF
Scan Speed	Copy: Up-to 240 ipm (Mono)/120 ipm (Colour)
ουαπ υρυσα	Scan: Up-to 240 ipm (Mono/Colour)
Original Sizes	5.5" x 8.5", 8.5" x 11", 8.5" x 11" R, 8.5" x 14", 11" x 17"
Paper Capacity	Standard: 3,100 Sheets/Maximum: 8,500 Sheets
Paper Feed	Standard: Tandem Tray 1 - 1,200 sheets (letter size), Tandem
System	Tray 2 - 800 sheets (letter size), Trays 3/4 - 500 sheets ea.
-	(letter/legal/ledger/statement/12" x 18"). Multi-bypass Tray
	(for machine) - 100 sheets (letter/legal/ledger/statement/
	monarch or COM10 envelopes/12" x 18"), Multi-bypass
	(for LCT) - 500 sheets (letter/legal/ledger/statement/12" x 18"),
	LCT (2-Drawer) - 2,500 sheets each drawer (letter/legal/
	ledger/12" x 18"), Letter LCC - 3,500 sheets (letter),
	Ledger LCC: 3,000 sheets (letter/legal/ledger).
Paper Weights	Tandem Trays - 16-28 lb. bond, Trays 3/4 - 16 lb. bond to 110 lb.
and Types	cover, Multi-bypass Tray (for machine) - 15 lb. bond to 110 lb.
	cover, Multi-bypass Tray (for LCT) - 15 lb. bond to 80 lb. cover,
	LCT (2-drawer) - 15 lb. bond to 110 lb. cover, Letter LCC/Ledger
	LCC - 16 lb. bond to 80 lb. cover. Supported paper types include
	thin, plain, recycled, colour, letterhead, pre-printed, pre-punched,
Dunloving	embossed, glossy and OHP film. Standard automatic duplex copying and printing
Duplexing CPU	Up-to 1.4 GHz multi-processor controller
Interface	RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (2 host ports,
intoriuoo	front and rear), USB 2.0 (1 device port), wireless 802.11 b/g/n
Memory	Standard 6 GB
Hard Disk Drive	1 TB
Copy Resolution	Scan: 600 x 600 dpi (Mono/Colour); Output: Up-to
	1,200 x 1,200 dpi (Mono), up-to 600 x 600 dpi (Colour)
Colour Modes	Auto Colour Selection (ACS), Full Colour, Greyscale, Monochrome
Exposure Control	Text, Text/Photo, Text/Printed-Photo, Printed-Photo,
Modes	Photo, Map, Pale-Colour. Settings: Auto or 5 step manual
Halftone	256 gradations/2 levels (monochrome)
Copy Features	Scan once print many, electronic sorting, offset-stacking,
	Auto Colour Sensing (ACS), Auto Paper Selection (APS),
	Auto Magnification Selection (AMS), Auto Tray Switching (ATS),
	black-white reversal, blank page skip, book copy, book divide,
	card shot, centre erase, centring, cover pages, dual page copy,
	edge erase, image edit, image preview, insert pages, job build,
	job programs, margin shift, mirror image, mixed size original,
	multi-page enlargement, original count, pamphlet style, proof copy,
	repeat layout, reserve copy, rotated copy, stamp, stamp custom
	image, suppress background, tab copy, tab-paper insertion,
	tandem copy, toner save mode, transparency inserts, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot.
Account Control	Up-to 1,000 users. Supports user-number authentication via
Account Control	local, LDAP and Active Directory for copy, print, scan and
	document management.
Cloud Supported	Google Drive, OneDrive for Business, SharePoint, Box, Dropbox,
Services	Office 365, Gmail
	TCP/IP (IPv4, IPv6, IPsec), HTTP/HTTPS, IPP/IPP-SSL, FTP/TFPS,
	SNMPv3, SMTP/SMTP-SSL, POP3/POP3-SSL, LDAP/LDAP-SSL,
	802 1v for Windows and Univ

Main Specificatior	
Network and	Includes IP/MAC address filtering, protocol filtering, port
Data Security	control, user authentication (local/LDAP/Active Directory),
	TLS Encryption, Kerberos support, data encryption,
	End-of-Lease, data overwrite (up-to 10x), DoD 5220.22-M
Firmware	Flash ROM with local (USB), network update
Management	capability and firmware update 1 to N with
Davida a Oaton	SRDM (Sharp Remote Device Management)
Device Setup	Web-based management with user/administrator level login
Service/Functions	
Accessibility	click counts Free stop tilting front panel, adjustment of key touch sound
Features	and speed, concave key, document feeder free stop, job program
i Gatures	remote front panel, universal grip for paper trays,
	and disable screen timeout
Environmental	International Energy Star Program Ver. 3.0, European RoHS,
Standards	Blue Angel (DE-UZ205)
Power Source	208-240V AC, 60 Hz, 20 A Receptacle
Power	200 2 107 710, 00 12, 20 77 11000 passio
Consumption	Maximum: 2,880 W or less
Weight	Approx. 461 lbs.
Dimensions	Approx. 33.25" (w) x 33.25" (d) x 49" (h)
Network Printing 9	
PDL	Standard PCL 6, Adobe PostScript 3
Resolution	1,200 x 1,200 dpi
Print Speed	MX7081: 75/70 ppm Mono/Colour (8.5" x 11")
	MX8081: 80/80 ppm Mono/Colour (8.5" x 11")
Print Drivers	Windows 8.1, Windows 10, Windows Server® 2012,
	Windows Server 2016, Windows Server 2019, Windows PPD,
	macOS X® (including 10.9 to 10.15), all MAC PPD, Linux® PPD
Mobile Printing	AirPrint, Sharpdesk Mobile
Print Features	Auto configuration, serverless print release, bar code font
	printing, carbon copy print, chapter inserts, colour adjustment
	settings, colour mode, confidential print, continuous printing,
	custom image registration, different cover page/last page/
	other page, document control, document filing, duplex printing,
	electronic sorting, folding, form overlay, hidden pattern print,
	image rotation, image stamp, image type, job bypass print,
	job retention, layout print, margin shift, multiple pamphlet,
	network tandem print, N-up printing, offset stacking, page
	interleave, pamphlet style, poster print, proof print, print and
	send, punching, stapling, tab paper print, tab printing, toner
	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio
Direct Printing	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio watermarks, zoom print
Direct Printing	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF,
Direct Printing	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DOCX, XLSX, PPTX, and PNG.
Direct Printing	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory.
_	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats supported by the Adobe Embedded Print Engin
Resident Fonts	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio watermarks, zoom print File Types: TIFF, UPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats supported by the Adobe Embedded Print Engin 80 outline fonts (PCL), 139 fonts (PS)
Resident Fonts Interface	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authentication watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats supported by the Adobe Embedded Print Engin 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, wireless
Resident Fonts Interface Operating Systems	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats supported by the Adobe Embedded Print Engin 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, wireless Windows 8.1, Windows 10, Windows Server 2012,
Resident Fonts Interface Operating Systems	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats supported by the Adobe Embedded Print Engin 80 outline fonts (PCL), 139 fonts (PS). RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, wireless Windows 8.1, Windows 10, Windows Server 2012, Windows Server 2016, Windows Server 2019, Chrome*,
Resident Fonts Interface Operating Systems and Environments	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio watermarks, zoom print File Types: TIFF, UPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats supported by the Adobe Embedded Print Engin 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, wireless Windows 8.1, Windows 10, Windows Server 2012, Windows Server 2016, Windows Server 2019, Chrome®, Mac OS X 10.9-10.15, Unix®, Linux, Citrix®, SAP device types
Resident Fonts Interface Operating Systems and Environments	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authentication watermarks, zoom print. File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats supported by the Adobe Embedded Print Engin 80 outline fonts (PCL), 139 fonts (PS). 81–45 Ethemate 10/100/1000 Base-T, USB 2.0, wireless. Windows 8.1, Windows 10, Windows Server 2012, Windows Server 2016, Windows Server 2019, Chrome*, Mac OS X 10.9-10.15, Unix*, Linux, Citrix*, SAP device types* LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3
Resident Fonts Interface Operating Systems and Environments	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio watermarks, zoom print File Types: TIFF, UPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats supported by the Adobe Embedded Print Engin 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, wireless Windows 8.1, Windows 10, Windows Server 2012, Windows Server 2016, Windows Server 2019, Chrome®, Mac OS X 10.9-10.15, Unix®, Linux, Citrix®, SAP device types
Resident Fonts Interface Operating Systems and Environments Printing Protocols	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats supported by the Adobe Embedded Print Engin 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, wireless windows 8.1, Windows 10, Windows Server 2012, Windows Server 2016, Windows Server 2019, Chrome®, Mac OS X 10.9-10.15, Unix®, Linux, Citrix®, SAP device types® LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3 and HTTP
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats supported by the Adobe Embedded Print Engin 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, wireless windows 8.1, Windows 10, Windows Server 2012, Windows Server 2016, Windows Server 2019, Chrome®, Mac OS X 10.9-10.15, Unix®, Linux, Citrix®, SAP device types® LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3 and HTTP
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats supported by the Adobe Embedded Print Engin 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, wireless Windows S.1, Windows 10, Windows Server 2012, Windows Server 2016, Windows Server 2019, Chrome®, Mac 0S X 10.9-10.15, Unix®, Linux, Citrix®, SAP device types® LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3 and HTTP I System Standard: Colour, monochrome, greyscale
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats supported by the Adobe Embedded Print Engin 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, wireless Windows A1, Windows No. Windows Server 2012, Windows Server 2016, Windows Server 2019, Chrome®, Mac OS X 10.9-10.15, Unix®, Linux, Citrix®, SAP device types¹ LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3 and HTTP System Standard: Colour, monochrome, greyscale 11" x 17"
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size Optical Resolution	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats supported by the Adobe Embedded Print Engin 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, wireless Windows A1, Windows No. Windows Server 2012, Windows Server 2016, Windows Server 2019, Chrome®, Mac OS X 10.9-10.15, Unix®, Linux, Citrix®, SAP device types¹ LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3 and HTTP System Standard: Colour, monochrome, greyscale 11" x 17"
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size Optical Resolution Output Modes	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authentication watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FIF, SMB, Web page, Email and USB memory. PDF file formats supported by the Adobe Embedded Print Engin 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethemet 10/100/1000 Base-T, USB 2.0, wireless Windows 8.1, Windows 10, Windows Server 2012, Windows Server 2016, Windows Server 2019, Chrome®, Mac OS X 10,9-10.15, Unix®, Linux, Citrix®, SAP device types® LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3 and HTTP System Standard: Colour, monochrome, greyscale 11" x 17" 11" x 17" 1000 1000 10" 1
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size Optical Resolution Output Modes	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats supported by the Adobe Embedded Print Engin 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, wireless Windows S.1, Windows S.1, Windows Server 2012, Windows Server 2016, Windows Server 2019, Chrome®, Mac OS X 10.9-10.15, Unix®, Linux, Citrix®, SAP device types¹ LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3 and HTTP System Standard: Colour, monochrome, greyscale 11" x 17" 600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome: TIFF, PDF, PDF/A-1a, Encrypted PDF,
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size Optical Resolution Output Modes	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats supported by the Adobe Embedded Print Engin 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, wireless Windows Server 2016, Windows Server 2019, Chrome®, Mac OS X 10.9-10.15, Unix®, Linux, Citrix®, SAP device types¹ LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3 and HTTP System Standard: Colour, monochrome, greyscale 11* x 17* 600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size Optical Resolution Output Modes	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats supported by the Adobe Embedded Print Engin 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, wireless Windows Server 2016, Windows Server 2012, Windows Server 2016, Windows Server 2019, Chrome*, Mac OS X 10.9-10.15, Unix*, Linux, Citrix*, SAP device types: LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3 and HTTP System Standard: Colour, monochrome, greyscale 11* x 17* 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome: TIFF, PDF, PDF/A-1a, Encrypted PDF, Searchable PDF, XPS, PPTX, XLXS, DOCX, TXT, RTF. Colour/Greyscale: TIFF, JPEG, PDF/A-1a, PDF/A-1a,
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size Optical Resolution Output Modes	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats supported by the Adobe Embedded Print Engin 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, wireless Windows 8.1, Windows 10, Windows Server 2012, Windows Server 2016, Windows Server 2016, Windows Server 2016, Windows Server 2019, Chrome*, Mac OS X 10.9-10.15, Unix**, Linux, Citrix**, SAP device types* LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3 and HTTP System Standard: Colour, monochrome, greyscale 11* x 17** 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome: TIFF, PDF, PDF/A-1a, Encrypted PDF, Searchable PDF, XPS, PPTX, XLXS, DOCX, TXT, RTF. Colour/Greyscale: TIFF, JPEG, PDF/A-1a, PDF/A-1a,
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size Optical Resolution Output Modes Image Formats	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FIF, SMB, Web page, Email and USB memory. PDF file formats supported by the Adobe Embedded Print Engin 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethemet 10/100/1000 Base-T, USB 2.0, wireless Windows 8.1, Windows 10, Windows Server 2012, Windows Server 2016, Windows Server 2019, Chrome®, Mac OS X 10,9-10.15, Unix®, Linux, Citrix®, SAP device types® LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3 and HTTP System Standard: Colour, monochrome, greyscale 111 x 17"
	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FIF, SMB, Web page, Email and USB memory. PDF file formats supported by the Adobe Embedded Print Engin 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethemet 10/100/1000 Base-T, USB 2.0, wireless Windows 8.1, Windows 10, Windows Server 2012, Windows Server 2016, Windows Server 2019, Chrome®, Mac OS X 10,9-10.15, Unix®, Linux, Citrix®, SAP device types® LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3 and HTTP System Standard: Colour, monochrome, greyscale 111 x 17"
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size Optical Resolution Output Modes Image Formats	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats supported by the Adobe Embedded Print Engin 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, wireless Windows 8.1, Windows 10, Windows Server 2012, Windows Server 2016, Windows Server 2016, Windows Server 2015, Windows Server 2016, Windows Server 2019, Chrome*, Mac OS X 10.9-10.15, Unix*, Linux, Citrix*, SAP device types* LPR, IPP, IPPS, Raw TCP (port 9100), FTP, PDP3 and HTTP System Standard: Colour, monochrome, greyscale 11* x 17* (600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome: TIFF, PDF, PDF/A-1a, Encrypted PDF, Searchable PDF, XPS, PPTX, XLXS, DOCX, TXT, RTF. Colour/Greyscale: TIFF, JPEG, PDF, PDF/A-1a, Encrypted PDF, Compact PDF, Searchable PDF, SPS, PPTX, XLX DOCX, TXT, RTF. Intermet Fax: TIFF-FX, TIFF-F, TI
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size Optical Resolution Output Modes Image Formats	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DCX, XLSX, PPTX, and PNG. Methods: FIP, SMB, Web page, Email and USB memory. PDF file formats supported by the Adobe Embedded Print Engin 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethemet 10/100/1000 Base-T, USB 2.0, wireless windows 8.1, Windows 10, Windows Server 2012, Windows Server 2016, Windows Server 2019, Chrome®, Mac OS X 10.9-10.15, Unix®, Linux, Citrix®, SAP device types and HTTP System Standard: Colour, monochrome, greyscale 111* x 17* 600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome: TIFF, PDF, PDF/A-1a, Encrypted PDF, Searchable PDF, XPS, PPTX, XLX, DOCX, TXT, RTF. Colour/Greyscale: TIFF, JPEG, PDF, PDF/A-1a, Encrypted PDF, Compact PDF, Searchable PDF, XPS, PPTX, XLX DOCX, TXT, RTF. Internet Fax: TIFF-F, TIFF-S TIFF-S1* Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMF Colour/Greyscale: JPEG (high, middle, low) Internet Fax mode: MH/MMR (option)*
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size Optical Resolution Output Modes Image Formats	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DCCX, XLSX, PPTX, and PNG. Methods: FIF, SMB, Web page, Email and USB memory. PDF file formats supported by the Adobe Embedded Print Engin 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethemet 10/100/1000 Base-T, USB 2.0, wireless windows 8.1, Windows 10, Windows Server 2012, Windows Server 2016, Windows Server 2019, Chrome®, Mac OS X 10.9-10.15, Unix®, Linux, Citrix®, SAP device types' LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3 and HTTP 1 System Standard: Colour, monochrome, greyscale 111* x 17" 600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome: TIFF, PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Searchable PDF, XPS, PPTX, XLX, DOCX, TXT, RTF. Colour/Greyscale: TIFF, JPEG, PDF, PDF/A-1b, PDF/A-1b, PDF/A-1b, PDF/A-1b, PDF/A-1c, PDF/A-1b, PDF/A-1c, PDF/A-1b, PDF/A-1c,
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size Optical Resolution Output Modes Image Formats Image Compression Scan Destinations	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FIF, SMB, Web page, Email and USB memory. PDF file formats supported by the Adobe Embedded Print Engin 80 outline fonts (PCL), 139 fonts (PS) RJ. 45 Ethernet 10/100/1000 Base-T, USB 2.0, wireless Windows 8.1, Windows 10, Windows Server 2012, Windows Server 2016, Windows Server 2016, Windows Server 2019, Chrome®, Mac OS X 10.9-10.15, Unix®, Linux, Citrx®, SAP device types® LDR, IPP, IPPS, Raw TCP (port 9100), FTP, PDP3 and HTTP System Standard: Colour, monochrome, greyscale 11" x 17" 6000 dpi 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi 600 drigory (PDF, XPS, PPTX, XLS, DOCX, TXT, RTF. Colour/Greyscale: TIFF, JPEG, PDF, PDF/A-1a, Encrypted PDF, Compact PDF, Searchable PDF, XPS, PPTX, XLS, DOCX, TXT, RTF. Internet Fax: TIFF-FX, IFF-F, TIFF-S1' Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR Colour/Greyscale: JPEG (high, middle, low) Internet Fax mode: MH/MMR (option) Email, Desktop, FTP, Folder (SMB), USB, Internet fax (option),
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size Optical Resolution Output Modes Image Formats Image Compression Scan Destinations One-touch	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FIF, SMB, Web page, Email and USB memory. PDF file formats supported by the Adobe Embedded Print Engin 80 outline fonts (PCL), 139 fonts (PS) RJ. 45 Ethernet 10/100/1000 Base-T, USB 2.0, wireless Windows 8.1, Windows 10, Windows Server 2012, Windows Server 2016, Windows Server 2016, Windows Server 2019, Chrome®, Mac OS X 10.9-10.15, Unix®, Linux, Citrx®, SAP device types® LDR, IPP, IPPS, Raw TCP (port 9100), FTP, PDP3 and HTTP System Standard: Colour, monochrome, greyscale 11" x 17" 6000 dpi 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi 600 drigory (PDF, XPS, PPTX, XLS, DOCX, TXT, RTF. Colour/Greyscale: TIFF, JPEG, PDF, PDF/A-1a, Encrypted PDF, Compact PDF, Searchable PDF, XPS, PPTX, XLS, DOCX, TXT, RTF. Internet Fax: TIFF-FX, IFF-F, TIFF-S1' Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR Colour/Greyscale: JPEG (high, middle, low) Internet Fax mode: MH/MMR (option) Email, Desktop, FTP, Folder (SMB), USB, Internet fax (option),
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size Optical Resolution Output Modes Image Formats	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FIF, SMB, Web page, Email and USB memory. PDF file formats supported by the Adobe Embedded Print Engin 80 outline fonts (PCL), 139 fonts (PS) RJ. 45 Ethemet 10/100/1000 Base-T, USB 2.0, wireless Windows 8.1, Windows 10, Windows Server 2012, Windows Server 2016, Windows Server 2016, Windows Server 2017, Windows Server 2016, Windows Server 2019, Chrome*, Mac OS X 10.9-10.15, Unix*, Linux, Citrix*, SAP device types* LPR, IPP, IPPS, Raw TCP (port 9100), FTP, PDP3 and HTTP System Standard: Colour, monochrome, greyscale 11" x 17" 600 dpi 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi 600 dpi 600 fpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi 600 dpi, 400 fpi, 7PF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Compact PDF, Searchable PDF, XPS, PPTX, XLXS, DOCX, TXT, RTF. Colour/Greyscale: JTFF, JPEG, PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Compact PDF, Searchable PDF, XPS, PPTX, XLXS, DOCX, TXT, RTF. Internet Fax: ITFF-FX, ITF-FF, ITF-FT; ITF-TIF 100 CX, XTX, RTF. Internet Fax: ITF-FX, ITF-FF, ITF-FT; ITF-TIF 100 CX, XTX, RTF. Internet Fax: ITF-FX, ITF-FF, ITF-FT; ITF-TIF 100 CX, XTX, RTF. Internet Fax: ITF-FX, ITF-FF, ITF-FT; ITF-TIF 100 CX, XTX, RTF. Internet Fax: ITF-FX, ITF-FF, ITF-FT; ITF-TIF-TIF-TIF-TIF-TIF-TIF-TIF-TIF-TIF-
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size Optical Resolution Output Modes Image Formats Image Compression Scan Destinations One-touch Destinations	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FIF, SMB, Web page, Email and USB memory. PDF file formats supported by the Adobe Embedded Print Engin 80 outline fonts (PCL), 139 fonts (PS) RJ. 45 Ethemet 10/100/1000 Base-T, USB 2.0, wireless Windows 8.1, Windows 10, Windows Server 2012, Windows Server 2016, Windows Server 2016, Windows Server 2017, Windows Server 2016, Windows Server 2019, Chrome*, Mac OS X 10.9-10.15, Unix*, Linux, Citrix*, SAP device types* LPR, IPP, IPPS, Raw TCP (port 9100), FTP, PDP3 and HTTP System Standard: Colour, monochrome, greyscale 11" x 17" 600 dpi 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi 600 dpi 600 fpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi 600 dpi, 400 fpi, 7PF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Compact PDF, Searchable PDF, XPS, PPTX, XLXS, DOCX, TXT, RTF. Colour/Greyscale: JTFF, JPEG, PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Compact PDF, Searchable PDF, XPS, PPTX, XLXS, DOCX, TXT, RTF. Internet Fax: ITFF-FX, ITF-FF, ITF-FT; ITF-TIF 100 CX, XTX, RTF. Internet Fax: ITF-FX, ITF-FF, ITF-FT; ITF-TIF 100 CX, XTX, RTF. Internet Fax: ITF-FX, ITF-FF, ITF-FT; ITF-TIF 100 CX, XTX, RTF. Internet Fax: ITF-FX, ITF-FF, ITF-FT; ITF-TIF 100 CX, XTX, RTF. Internet Fax: ITF-FX, ITF-FF, ITF-FT; ITF-TIF-TIF-TIF-TIF-TIF-TIF-TIF-TIF-TIF-
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size Optical Resolution Output Modes Image Formats Image Compression Scan Destinations One-touch Destinations Group Destinations Programs	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DOCX, XLSX, PPTX, and PNG. Methods: FTP, SMB, Web page, Email and USB memory. PDF file formats supported by the Adobe Embedded Print Engin 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0, wireless Windows 8.1, Windows 10, Windows Server 2012, Windows Server 2016, Windows Server 2016, Chrome*, Mac OS X 10.9-10.15, Unix**, Linux, Citrix**, SAP device types** LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3 and HTTP System Standard: Colour, monochrome, greyscale 11** x 17** Good odpi. 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome: TIFF, PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Searchable PDF, XPS, PPTX, XLXS, DOCX, TXT, RTF. Colour/Greyscale: TIFF, JPEG, PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Compact PDF, Searchable PDF, LPS, PPTX, XLX, DOCX, TXT, RTF. Intermet Fax: TIFF-FX, TIFF-F, TIFF-FT, ITFF-ST, ITF
Resident Fonts Interface Operating Systems and Environments Printing Protocols Network Scanning Scan Modes Max. Original Size Optical Resolution Output Modes Image Formats Image Compression Scan Destinations One-touch Destinations Group Destinations	send, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authenticatio watermarks, zoom print File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Encrypted PDF, Compact PDF/A, PostScript, DCX, XLSX, PPTX, and PNG. Methods: FIP, SMB, Web page, Email and USB memory. PDF file formats supported by the Adobe Embedded Print Engin 80 outline fonts (PCL), 139 fonts (PS) RJ-45 Ethemet 10/100/1000 Base-T, USB 2.0, wireless Windows 8.1, Windows 10, Windows Server 2012, Windows Server 2016, Windows Server 2019, Chrome ^a , Mac OS X 10.9-10.15, Unix ^a , Linux, Citrix ^a , SAP device types ^a LPR, IPP, IPPS, Raw TCP (port 9100), FTP, POP3 and HTTP 1 System Standard: Colour, monochrome, greyscale 111* x 17* 600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome: TIFF, PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Searchable PDF, XPS, PPTX, XLX, DOCX, TXT, RTF. Colour/Greyscale: TIFF, JPEG, PDF, PDF/A-1b, PDF/A-1a, Encrypted PDF, Compact PDF, Searchable PDF, XPS, PPTX, XLX, DOCX, TXT, RTF. Internet Fax: TIFF-PX, TIFF-S, IPF-S1* Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR Colour/Greyscale: JPEG (high, middle, low) Internet Fax mode: MH/MMR (option)† Email, Desktop, FTP, Folder (SMB), USB, Internet fax (option), Super G3 fax (option) Up-to 2,000 (combined scan destinations) Up-to 500 48 (combined)

Type Output Trays Stapling Capacity Stapling Media Stapling Positions Stapleless Finishing	e Finisher (MXFN34: option) 3,000-sheet console staple finisher (65-sheet stapling) Top tray: 250 sheets (letter size, non-stapled) Lower tray: Moving offset tray (up-to 3,000 letter size sheets) Up-to 65 sheets (letter/statement) Plain paper, letter/legal/ledger size or mixed 1 front, 1 rear, or 2-point stitching
Output Trays Stapling Capacity Stapling Media Stapling Positions Stapleless Finishing	Top tray: 250 sheets (letter size, non-stapled) Lower tray: Moving offset tray (up-to 3,000 letter size sheets) Up-to 65 sheets (letter/statement) Plain paper, letter/legal/ledger size or mixed 1 front, 1 rear, or 2-point stitching
Stapling Capacity Stapling Media Stapling Positions Stapleless Finishing	Lower tray: Moving offset tray (up-to 3,000 letter size sheets) Up-to 65 sheets (letter/statement) Plain paper, letter/legal/ledger size or mixed 1 front, 1 rear, or 2-point stitching
Stapling Media Stapling Positions Stapleless Finishing	Up-to 65 sheets (letter/statement) Plain paper, letter/legal/ledger size or mixed 1 front, 1 rear, or 2-point stitching
Stapling Media Stapling Positions Stapleless Finishing	Plain paper, letter/legal/ledger size or mixed 1 front, 1 rear, or 2-point stitching
Stapling Positions Stapleless Finishing	1 front, 1 rear, or 2-point stitching
Finishing	
	1 rear (max. 5 sheets)
Manual Stapling	1 point (max. 65 sheets)
3K 65-Sheet Staple/Saddle-Stitch Finisher (MXFN35: option)	
Туре	3,000-sheet console staple finisher (65-sheet stapling)
Output Trays	Top tray: 250 sheets (letter size, non-stapled)
	Lower tray: Moving offset tray (up-to 3,000 letter size sheets)
	Saddle tray: Up-to 10 sets of 20 sheets
Stapling Capacity	Up-to 65 sheets (letter/statement)
Stapling Media	Plain paper, letter/legal/ledger size or mixed
Stapling Positions	1 front, 1 rear, or 2-point stitching
Saddle-Stitch	Centre stitch/centre fold (2 staples) letter/legal/ledger paper sizes
Max. Sets	Up-to 10 sets (11-20 sheets per set)/15 sets (6-10 sheets per set)/25 sets (1-5 sheet(s) per set)
Stapleless	por ody. 20 dota (1 o drivotija) pol dotj
Finishing	1 rear (max. 5 sheets)
Manual Stapling	1 point (max. 65 sheets)
Optional Equipmen	nt
MXLC12	3,500-sheet Large Capacity Cassette (letter)
MXLC13N	5,000-sheet Large Capacity 2-Drawer Air-Feed Tray (ledger)
MXLCX3N	3,000-sheet Large Capacity Cassette (ledger)
MXLT10	Long Paper Feeding Tray
MXMF11	500-sheet Multi-bypass Tray (for MXLC13N)
MXFN21	4K Stacking 100-Sheet Staple Finisher ¹
MXFN22	4K Stacking 100-Sheet Staple/Saddle-Stitch Finisher
MXFN34	3K Stacking 65-sheet Staple Finisher
MXFN35	3K Stacking 65-sheet Staple/Saddle-Stitch Finisher GBC Smartpunch Pro
MXGBCX2 MXCF11	2-Tray Inserter Unit ¹
MXFD10	Multi-folding Unit ¹
MXRB12N	Paper Pass Unit (for machine) ¹
MXRB13	Relay Unit ¹
MXRB14	Paper Pass Unit (for MXLC13)1
MXRB27	Curl Correction Unit ¹
MXTM10	Trimmer Unit ¹
MXPN13B	3-Hole Punch Unit (for MXFN21/FN22)
MXPN16B	3-Hole Punch Unit (for MXFN34/FN35)
MXSC11	Staple Cartridge (for MXFN34/FN35)
MXSC12	Staple Cartridge (for MXFN35)
MXSCX1	Staple Cartridge (for MXFN22)
MXSCX2	Staple Cartridge (for MXFN21/FN22)
MXTR14	Right Side Exit Tray
MXTU14 ARSU1	Centre Exit Tray Stamp Unit (requires ARSV1 Stamp Cartridge)
ARSV1	Stamp Cartridge (required for ARSU1)
MXPF10	Bar Code Font Kit
MXFWX1	Internet Fax Expansion Kit
MXFX15	Fax Expansion Kit
MXAMX1L	Application Integration Module
MXFR65U	Data Security Kit
MXPE15	Fiery Colour Print Server
MXPX15	Fiery Interface Kit
MXSL10N	Status Indicator
DVENDFSV	Generic Vendor Interface Kit
Supplies	
MX80NTBA	Black Topor Cartridge
MX80NTGA	Black Toner Cartridge Cyan Toner Cartridge
MX80NTMA	Magenta Toner Cartridge
MX80NTYA	Yellow Toner Cartridge
MX62NVBA	Black Developer
MX62NVSA	Cyan/Magenta/Yellow Developer
MX62NRSA	Drum
MX700HB	Toner Collection Container

- ¹ Some features require optional equipment. See your local dealer.
- ² May vary depending on product configuration, machine settings and operating and/or environmental conditions.
- $^{\rm 3}$ Go to $\emph{www.sharp.ca}$ for a list of supported devices and operating systems.



802.1x for Windows and Unix.

DIRECTOffice





Design and specifications subject to change without notice. Sharp, Sharp OSA, Sharpdesk, and all related trademarks are trademarks or registered trademarks of Sharp Corporation and/or its affiliated companies. Windows, Windows Server, Excel, PowerPoint, OneDrive and SharePoint are registered trademarks of Microsoft Corporation. Android, Google Drive and Chromebook are registered trademarks of Google LLC. AirPrint is a registered trademark of Apple Inc. Adobe and PostScript are registered trademarks of Adobe Systems Inc. DirectOffice is a trademark of CSR Imaging US, LP, registered in the United States and other countries, used with permission. All other trademarks are the property of their respective owners. ©2021 Sharp Electronics of Canada Ltd.

