

ADVANCED SERIES DESKTOP MONOCHROME DOCUMENT SYSTEMS





"Most Reliable Monochrome Copier MFP Brand 2018-2021" The Sharp Advanced Series desktop monochrome document systems deliver leading-edge integration and powerful productivity, all in a compact design.

A HIGHER BENCHMARK OF INNOVATION

The MX-B376WH and MX-B476WH Advanced Series desktop monochrome document systems deliver crisp, high-quality output with exceptional ease of use. These models provide customers with an intuitive user experience and the confidence of knowing their jobs will come out right the first time, every time. Designed with high-performance features typically found on larger machines, the compact MX-B376WH and MX-B476WH deliver the productivity you need with the performance and reliability you want.

Key Features

- Ease of Use Award-winning 7" (diagonal) touchscreen display offers a user-friendly graphical interface with simplified Easy Modes, integrated user guides and quick access to network services. With the Sharp **MFP Voice** feature available for these models, you can interact with the machine with the power of natural language.
- Productivity Offers out-of-the-box copy, print, scan and fax capabilities, plus standard
 Cloud Connect features combined with wireless networking enables users to easily manage their workflow from PCs, smart phones and tablets.
- Workplace Friendly Integrates seamlessly with today's complex network environments and supports popular cloud services and mobile technologies. And with the Sharp Application Portal administrators can easily add or update apps right from the touchscreen panel of the MFP.

The compact MX-B376WH and MX-B476WH Advanced Series desktop monochrome document systems offer powerful productivity features enabling users to quickly execute workflow tasks in today's busy office environments. And with Sharp multi-layered, leading edge Security Suite, these models can help protect your data and personal information from the first day of operation to the time of trade-in.

Adobe Embedded Print Engine

DESIGNED TO DELIVER HIGH PRODUCTIVITY



INTUITIVE INTERFACE

SEAMLESS CLOUD INTEGRATION

LEADING EDGE SECURITY



"PaceSetter Award in Ease of Use 2018–2019"

A compact design with advanced workflow features to enhance document workflow in virtually any size office.

- Standard copy, print, scan, fax and wireless capability right out of the box.
- **100-sheet duplexing document feeder** on the MX-B476WH scans both sides of document in a single pass, enhancing productivity while also maintaining the integrity of your originals and minimizing wear on the feeder.
- Both models can feed letter size, legal size, statement size and business card size original documents.
- Built-in **optical character recognition** (OCR) function can convert scanned documents to text-searchable PDF format, Microsoft[®] Office file formats, and more.
- Offers up to five paper sources with available 2,350-sheet maximum paper capacity.
- Standard compact PDF feature dramatically reduces the file size of most color scanned documents, resulting in decreased network traffic and more efficient use of disk and cloud storage.



- Award winning 7" (diagonal) customizable touchscreen display with a clean design enables easy access to features and functions when setting up jobs.
- Network ready PCL[®] 6 and Adobe[®] Postscript[®] 3[™] printing systems deliver crisp, clear documents at up to 47 pages per minute.
- Direct print Microsoft Word, PowerPoint[®] and Excel[®] files from thumb drives, cloud applications, network folders and more. This function is enabled via Qualcomm[®] DirectOffice[™] technology.
- Access popular cloud services, including Microsoft OneDrive[®] for Business, SharePoint[®] Online, Box.com, Google Drive[™], Dropbox and more with the Sharp Cloud Connect feature. And with the Sharp Application Portal administrators can add or update apps right from the MFP.
- **Supports popular mobile technologies**, enabling users to easily print files from smart phones, tablets and even notebook computers.
- Multi-layered, leading-edge security features provide enhanced protection and help businesses stay one step ahead of hackers and malicious network intruders. An End-of-Lease feature can erase all data and personal information at time of trade-in.



ADVANCED FUNCTIONALITY – COMPACT DESIGN



Easy Copy Screen offers the most commonly used settings.



Standard Copy Screen offers more advanced features.



Built-in wireless network interface for convenient scanning and printing from mobile devices.

From paper handling to networking, the MX-B376WH and MX-B476WH Advanced Series desktop monochrome document systems will exceed your expectations.

Simple and Intuitive Operation with Impressive Performance

When it's time to get the job done, the MX-B376WH and MX-B476WH are outstanding performers. Quickly scan documents at speeds up to **110 images per minute** (MX-B476WH). From basic copy functions to complex scan jobs, the MX-B376WH and MX-B476WH can get the job done efficiently. Use one of the **Easy Modes** for fast, simple operation, with basic functions displayed in **large**, **clearly-labeled tiles** and keys. For more advanced features, simply touch the "Detail" key.

A "Well-connected" Device

Connecting a multifunction printer (MFP) to your wireless network and accessing it from mobile devices has never been so easy with the MX-B376WH and MX-B476WH standard wireless networking features. Print from or scan to popular cloud services such as Microsoft OneDrive for Business, SharePoint Online, Box.com, Dropbox and Google Drive with the Sharp Cloud Connect features. Single Sign-on (SSO) support for accessing these services makes scan-to-folder and scan-to-email operations simpler than ever. Even printing from your desktop is made easier with Serverless Print Release function. Easily send a job to one device, and print it on another.

Experience Hands-free, Voice-first Interaction with Amazon Alexa

Sharp has always been known for enhancing MFP productivity in the workplace by offering innovative, easy-to-use features. Sharp has done it again with the **MFP Voice feature** available for these document systems. With the Sharp MFP Voice feature, you can interact with the machine just by using the power of natural language. With simple voice commands, you can ask the Sharp document systems to copy or scan documents.



The MX-B376WH and MX-B476WH Advanced Series desktop monochrome document systems deliver the performance features you need in a space-saving, compact design that you want.



Duplexing Single Pass Feeder (DSPF) on MX-B476WH

100-sheet dual head document feeder scans both sides of document in a single pass at up to 110 images per minute. Hands-free Operation The available MFP Voice feature enables users to control the device using simple verbal commands with Alexa. Optical Character Recognition (OCR) Built-in OCR function can convert scanned documents to text-searchable PDF format, Microsoft Office file formats, and more.

Compact PDF

Standard Compact PDF feature dramatically reduces the file size of most color scanned documents, resulting in decreased network traffic and more efficient use of disk and cloud storage.

Easy-to-Use Smart Touchscreen Tablet-style menu provides quick access to features and functions.

High Quality Printing True 600 x 600 dpi resolution produces razor-sharp documents. Adobe PostScript 3 drivers offer extensive job control.

50-Sheet Manual Bypass Tray Convenient manual bypass tray feeds envelopes, OHP film, glossy paper and labels, as well as paper up to 80 lb. cover stock.

Easily Access Popular Cloud Applications With the available Cloud Connect feature, users gain access to Microsoft OneDrive, Google Drive, Dropbox and more. The Application Portal will make it easy for administrators to add or update apps right from the MFP.

Wired and Wireless Networking Standard Gigabit Ethernet and Wi-Fi[®] network capabilities offer greater flexibility.²

Reversing Single Pass Feeder (RSPF) on MX-B376WH

50-sheet Reversing Single Pass Feeder scans documents at up to 40 images per minute.

Flexible Document Handling Both models can feed letter size, legal size, statement size and business card size original documents.

Inner Finisher Option Available compact inner finisher offers three position stapling and can hold up to 280 sheets of paper.

Print from Mobile Devices Supports popular networking technologies, enabling users to easily print files from smart phones, tablets, and even notebooks.

Serverless Print Release Standard Serverless Print Release feature enables users to securely print a job, and then release it from up to six Sharp document systems (including host) that are on the same network.¹

Flexible Paper Handling


Paper drawers feed up to $8\frac{1}{2}$ " x 14" paper and support media up to 220 gsm (80 lb. Cover). Supports up to 2,350 sheets in paper drawers and bypass tray with options. Multi-layered Security Features Leading-edge security features provide enhanced protection of data and personal information and helps protect against network intrusions.

¹ Supports most Sharp document systems. For a list of supported models contact your authorized Sharp dealer.

² In Infrastructure Mode, the wireless interface is used in place of a wired connection. In Point-to-Point mode, the wireless interface can be used to connect directly to the MFP from another wireless device, such as a smartphone or tablet.




ENHANCED COLLABORATION FOR STREAMLINED WORKFLOWS



Scan and convert documents to popular file formats seamlessly with Sharp's built-in OCR function.



Distribute, access and print documents more easily.



With Serverless Print Release you can securely print a job and release it from up to six Sharp MFPs (including host).

Powerful document workflow solutions help you work more efficiently.

Distribute, Access and Print Your Documents with Ease

Sharp makes it easy to go beyond traditional network scanning with standard **Email Connect** and **Cloud Connect** features. With Email Connect, scan to email is seamlessly integrated with

Microsoft Exchange/Office 365[®] and Gmail[™] user accounts, making it easy to identify the sender of scanned files. With Cloud Connect, users can easily scan-to and print-from **Microsoft OneDrive for Business, SharePoint Online, Google Drive, Box and Dropbox**. And with the Sharp **Application Portal** administrators can add new apps and update existing apps right from the MFP touchscreen panel.



Scan and Print Files Easily from Mobile Devices

Easily scan and print files from tablets and smart phones using **Sharpdesk[®] Mobile**, a free downloadable app available for most common mobile devices.¹ The MX-B376WH and MX-B476WH also support popular mobile technologies such as **AirPrint[®]**, **Android[™] and printing framework**. With standard wireless networking, users can also print directly to the MFP from mobile devices without interfering with the corporate network!

Manage Different File Types with Intelligent Image Processing

Easily scan documents to popular file formats including Microsoft Word, PowerPoint, and Excel, as well as a variety of PDF formats such as Searchable PDF, Encrypted PDF and others. You can also direct print these same file types from thumb drives, cloud applications, and mobile devices. This function is enabled via Qualcomm DirectOffice technology. These models also support the **Adobe Embedded Print Engine**, which direct prints PDF files from a variety of sources with greater performance and rendering accuracy.

Flexible Printing Solutions Help Speed Up Your Office Productivity

Standard with **Adobe PostScript 3** and **PCL 6** printing systems to help you speed through all of your output needs with accuracy. To help streamline your jobs, these powerful performers include **Serverless Print Release technology**, enabling you to securely print a job and release it from up to six Sharp MFP models on your network.²

Simplify Complex Business Workflows

Sharp OSA technology can help your business leverage the power of your network applications, back-end systems and cloud services.² Easily automate complex processes and help eliminate redundant tasks. Create your own custom integrations or take advantage of the growing portfolio of Sharp OSA applications available from Sharp Partner Program members.



Manage your device, help safeguard your data, help protect your business.

To help protect employees' privacy and intellectual property, these Advanced Series desktop monochrome document systems are armed with leading-edge, **multi-layered security features**, including **Firmware Attack Prevention** and **Self Recovery**, which can help identify a malicious intrusion and restore the machine firmware to its original state. The new **Application Whitelisting** feature detects access attempts to the machine file system and denies access if the source data is not on the whitelist. **Authority Groups** help manage and restrict copying, printing and scanning features to safeguard data and control costs. Administrators can also apply **Active Directory® Group Policy** to the device, which offers centralized configuration and control. **Confidential Printing** helps ensure sensitive documents are kept safe by requiring users to enter a PIN code to print

them. These models also support Active Directory user authentication and secure **Single Sign-On. Integrated ID card authentication** is also available.* When you are ready to trade the machine in, a convenient **End-of-Lease** feature can erase all data and personal information, as well as print a confirmation report.

These scalable security offerings aim to protect your intellectual property, preserve confidential information and help your business meet regulatory requirements including the Health Insurance Portability and Accountability Act (HIPAA) and the Family Educational Rights and Privacy Act (FERPA). For additional information visit: *www.sharpusa.com/security*.

*Some features require optional equipment and/or software



With Sharp Remote Device Manager (SRDM), administrators can take control of system features and simplify installation and management. SRDM makes it easy to view service logs, click counts, history reports and more. Event-driven service alerts help monitor the device and maximize uptime. The centrally managed security dashboard monitors security settings and can automatically reset the security policy if changed locally at the machine. Also, Centralized Admin Password Management and Centralized Power Management make it easy to deploy changes when needed. The Remote Front Panel feature enables administrators to control the machine's LCD panel from a PC to troubleshoot issues and train operators. Sharp also offers both built-in and additional auditing hardware and software to control,

access and track usage of each device on the network.* And with **My Sharp™**, you get a dedicated training website customized to your model to help you understand all of the features.



martWay



ENVIRONMENTAL COMMITMENT

An Environmentally Responsible Approach to Product Design Sharp is committed to environmental sustainability and corporate responsibility including planning, design, manufacturing, distribution and product endof-life management. The MX-B376WH and MX-B476WH adhere to Sharp's Green Products Guidelines in pursuit of these commitments. These guidelines include designing products that consume less power, using recycled materials, reducing the amount of material used in products and packaging, and labeling the type of materials used. Sharp also aims to design products that are upgradable, easy to repair, and easy to take apart for recycling.

The MX-B376WH and MX-B476WH document systems are ENERGY STAR[®] qualified and RoHS compliant to restrict the use of hazardous substances. These products also have low TEC values. Sharp MFPs are EPEAT[®] registered

Toner Recycling Program

As part of our commitment to helping preserve the environment, Sharp offers our customers zero-waste-to-landfill recycling for Sharp consumables, including cartridges, bottles, toner collection containers and drum units. Sharp encourages customers to recycle their used Sharp toner cartridges in bulk by providing a pre-paid recycling kit for their return to our facility.

Environmental Leadership

As a testament to our commitment to the environment, Sharp is a multi-year winner of the ENERGY STAR annual Excellence in Energy Proficiency Product Design. Sharp is also a multi-year winner of the SmartWay[®] Excellence Award which recognizes companies for conserving energy and lowering greenhouse gas emissions in logistics and transportation.

For more information about Sharp's environmental leadership including information about energy efficient products, electronics or toner cartridge recycling, please visit *www.sharpusa.com/environment*.





MX-B376WH/B476WH SPECIFICATIONS

B476WH Type Display Functions Copy System Originals Max. Original Size Output Size Copy Speed Multiple Copy First Copy Time (in seconds) ² Warm Up Time Magnification Original Feed Scan Speed Original Sizes Paper Capacity Paper Feed System	RSPF (MX-B376WH)/100-sheet DSPF (MX-B476WH), PCL 6 and Adobe PostScript® 3™ printing systems, network scanning, auto duplexing, 1 x 500-sheet paper drawer, 50-sheet bypass tray. Black developer is included. Desktop monochrome multi-function printer 7" (diagonal) color dot matrix high-resolution touch panel tilting display. 1,024 x 600 dots (W-SVGA) Copy, print, network print, network scan, document filing and Dry electrostatic transfer/Dual component developer/Magne brush development/0PC drums/roller fusing/white LED expo Sheets and bound documents B½" x 14" Min. 5½" x 8½", Max. 8½" x 14" 37/47 ppm Max. 9,999 copies MX-B376WH MX-B476WH Platen Glass 5.3 3.7 Doc. Feeder 7.3 5.5 30 seconds (from main switch on), 20 seconds (from pow button on) 25% to 400% in 1% increments (with document feeder 25% -200%) MX-B376WH: 50-sheet RSPF MX-B476WH: up to 110 ipm 5½" x 8½", 8½", x11", 8½" x 14", 2" x 3½" business ca Standard: 500 Sheet s/Maximum: 2,350 Sheets Standard: 500 Sheet paper drawer (letter/statement/envelope)
Display Functions Copy System Originals Max. Original Size Copy Speed Multiple Copy First Copy Time (in seconds) ² Warm Up Time Magnification Original Feed Scan Speed Original Sizes Paper Capacity Paper Feed	scanning, auto duplexing, 1 x 500-sheet paper drawer, 50-sheet bypass tray. Black developer is included. Desktop monochrome multi-function printer 7" (diagonal) color dot matrix high-resolution touch panel tilting display. 1,024 x 600 dots (W-SVGA) Copy, print, network print, network scan, document filing and Dry electrostatic transfer/Dual component developer/Magne brush development/DPC drums/roller fusing/white LED expo Sheets and bound documents 8½" x 14" Min. 5½" x 8½", Max. 8½" x 14" 37/47 ppm Max. 9,999 copies MX-B376WH MX-B476WH Platen Glass 5.3 3.7 Doc. Feeder 7.3 5.5 30 seconds (from main switch on), 20 seconds (from pow button on) 25% to 400% in 1% increments (with document feeder 25% - 200%) MX-B376WH: 50-sheet RSPF MX-B476WH: 100-sheet DSPF MX-B476WH: up to 40 ipm MX-B476WH: up to 10 ipm 5½" x 8½", 8½" x 11", 8½" x 14", 2" x 3½" business ca Standard: 550 Sheets/Maximum: 2,350 Sheets Standard: 1500-sheet paper drawer (letter/statement si and 50-sheet bypass tray (letter/legal/statement/envelope
Display Functions Copy System Originals Max. Original Size Copy Speed Multiple Copy First Copy Time (in seconds) ² Warm Up Time Magnification Original Feed Scan Speed Original Sizes Paper Capacity Paper Feed	50-sheet bypass tray. Black developer is included. Desktop monochrome multi-function printer 7" (diagonal) color dot matrix high-resolution touch panel tilting display. 1,024 x 600 dots (W-SVGA) Copy, print, network print, network scan, document filing and Dry electrostatic transfer/Dual component developer/Magne brush development/OPC drums/roller fusing/white LED expo Sheets and bound documents 8½" x 14" Min. 5½" x 8½", Max. 8½" x 14" 37/47 ppm Max. 9,999 copies MX-B376WH Platen Glass 5.3. 30 seconds (from main switch on), 20 seconds (from pow button on) 25% to 400% in 1% increments (with document feeder 25% -200%) MX-B376WH: 100-sheet DSPF MX-B476WH: up to 110 ipm MX-B476WH: up to 110 ipm MX-B476WH: up to 110 ipm 5½" x 8½", 8½" x 11", 8½" x 14", 2" x 3½" business ca Standard: 550 Sheet paper drawer (letter/statement si and 50-sheet bypass tray (letter/legal/statement/envelope
Display Functions Copy System Originals Max. Original Size Copy Speed Multiple Copy First Copy Time (in seconds) ² Warm Up Time Magnification Original Feed Scan Speed Original Sizes Paper Capacity Paper Feed	Desktop monochrome multi-function printer 7" (diagonal) color dot matrix high-resolution touch panel tilting display. 1,024 x 600 dots (W-SVGA) Copy, print, network print, network scan, document filing and Dry electrostatic transfer/Dual component developer/Magne brush development/0PC drums/roller fusing/white LED expo Sheets and bound documents 8½" x 14" Min. 5½" x 8½", Max. 8½" x 14" 37/47 ppm Max. 9,999 copies MX-B376WH MX-B476WH Platen Glass 5.3 3.7 Doc. Feeder 7.3 5.5 30 seconds (from main switch on), 20 seconds (from pow button on) 25% to 400% in 1% increments (with document feeder 25% - 200%) MX-B376WH: 50-sheet RSPF MX-B476WH: 100-sheet DSPF MX-B376WH: 100-sheet DSPF MX-B376WH: 100 to pm MX-B476WH: up to 40 ipm MX-B476WH: up to 110 ipm 5½" x 8½", 8½" x 11", 8½" x 14", 2" x 3½" business ca Standard: 550 Sheets/Maximum 2,350 Sheets Standard: 150 Osheet paper drawer (letter/statement si and 50-sheet bypass tray (letter/legal/statement/envelope
Display Functions Copy System Originals Max. Original Size Copy Speed Multiple Copy First Copy Time (in seconds) ² Warm Up Time Magnification Original Feed Scan Speed Original Sizes Paper Capacity Paper Feed	 7" (diagonal) color dot matrix high-resolution touch panel tilting display. 1,024 x 600 dots (W-SVGA) Copy, print, network print, network scan, document filing and Dry electrostatic transfer/Dual component developer/Magne brush development/OPC drums/roller fusing/white LED exposed shows a start of the start of
Functions Copy System Originals Max. Original Size Copy Speed Multiple Copy First Copy Time (in seconds) ² Warm Up Time Magnification Original Feed Scan Speed Original Sizes Paper Capacity Paper Feed	tilting display. 1,024 x 600 dots (W-SVGA) Copy, print, network print, network scan, document filing and Dry electrostatic transfer/Dual component developer/Magne brush development/OPC drums/roller fusing/white LED expo Sheets and bound documents 8½" x 14" Min. 5½" x 8½", Max. 8½" x 14" 37/47 pm Max. 9,999 copies MX-B376WH MX-B476WH Platen Glass 5.3 3.7 Doc. Feeder 7.3 5.5 30 seconds (from main switch on), 20 seconds (from pow button on) 25% to 400% in 1% increments (with document feeder 25% - 200%) MX-B376WH: 50-sheet RSPF MX-B476WH: 100-sheet DSPF MX-B476WH: up to 40 ipm MX-B476WH: up to 40 ipm MX-B476WH: up to 10 ipm 5½" x 8½", 8½" x 11", 8½" x 14", 2" x 3½" business ca Standard: 500 Sheets
Copy System Originals Max. Original Size Output Size Copy Speed Multiple Copy First Copy Time (in seconds) ² Warm Up Time Magnification Original Feed Scan Speed Original Sizes Paper Capacity Paper Feed	Copy, print, network print, network scan, document filing and Dry electrostatic transfer/Dual component developer/Magne brush development/OPC drums/roller fusing/white LED expo Sheets and bound documents 8½" x 14" Min. 5½" x 8½", Max. 8½" x 14" 37/47 ppm Max. 9,999 copies MX-B376WH MX-B476WH Platen Glass 5.3 3.7 Doc. Feeder 7.3 5.5 30 seconds (from main switch on), 20 seconds (from pow button on) 25% to 400% in 1% increments (with document feeder 25% - 200%) MX-B376WH: 100 - sheet DSPF MX-B376WH: 100 - sheet DSPF MX-B376WH: 100 - sheet DSPF MX-B376WH: 100 - sheet DSPF MX-B476WH: up to 110 ipm 5½" x 8½", 8½" x 11", 8½" x 14", 2" x 3½" business ca Standard: 150 Sheets JMaximum: 2,350 Sheets Standard: 150 Sheet paper drawer (letter/statement si and 50-sheet bypass tray (letter/legal/statement/envelope
Copy System Originals Max. Original Size Output Size Copy Speed Multiple Copy First Copy Time (in seconds) ² Warm Up Time Magnification Original Feed Scan Speed Original Sizes Paper Capacity Paper Feed	Dry electrostatic transfer/Dual component developer/Magne brush development/0PC drums/roller fusing/white LED expo Sheets and bound documents 8½" x 14" Min. 5½" x 8½", Max. 8½" x 14" 37/47 ppm Max. 9,999 copies MX-B376WH MX-B476WH Platen Glass 5.3 30 seconds (from main switch on), 20 seconds (from pow button on) 25% to 400% in 1% increments (with document feeder 25% - 20%) MX-B376WH: 100-sheet RSPF MX-B376WH: 100-sheet RSPF MX-B376WH: 100 onsheet DSPF MX-B476WH: 100 onsheet DSPF MX-B376WH: 100 onsheet DSPF MX-B476WH: 100 onsheet DSPF Standard: 150 Sheets/Maximum: 2,350 Sheets Standard: 150 Sheets/Maximum: 2,350 Sheets Standard: 150 Sheets/Maximum: 2,350 Sheets Standard: 150 Sheets/Maximum: 2,350 Sheets
Originals Max. Original Size Output Size Copy Speed Multiple Copy First Copy Time (in seconds) ² Warm Up Time Magnification Original Feed Scan Speed Original Sizes Paper Capacity Paper Feed	brush development/OPC drums/roller fusing/white LED expo Sheets and bound documents 8½" x 14" Min. 5½" x 8½", Max. 8½" x 14" 37/47 ppm Max. 9,999 copies MX-B376WH MX-B476WH Platen Glass 5.3 3.7 Doc. Feeder 7.3 5.5 30 seconds (from main switch on), 20 seconds (from pow button on) 25% to 400% in 1% increments (with document feeder 25% - 200%) MX-B376WH: 50-sheet RSPF MX-B476WH: up to 40 ipm MX-B376WH: up to 40 ipm MX-B376WH: up to 40 ipm MX-B476WH: up to 110 ipm 5½" x 8½", 8½" x 11", 8½" x 14", 2" x 3½" business ca Standard: 500 Sheet/Maximum: 2,350 Sheets Standard: (1) 500-sheet paper drawer (letter/statement si and 50-sheet bypass tray (letter/legal/statement/envelope
Max. Original Size Output Size Copy Speed Multiple Copy First Copy Time (in seconds) ² Warm Up Time Magnification Original Feed Scan Speed Original Sizes Paper Capacity Paper Feed	Sheets and bound documents 8½" x 14" Min. 5½" x 8½", Max. 8½" x 14" 37/47 ppm Max. 9,999 copies Max. 9,999 copies Max. 9,999 copies Max. 85,000 Max. 85,000 Max. 9,999 copies Soc. Feeder 7.3 5.5 30 seconds (from main switch on), 20 seconds (from pow button on) 25% to 400% in 1% increments (with document feeder 25% - 200%) MX-8376WH: 50-sheet RSPF MX-8376WH: 100-sheet DSPF MX-8376WH: up to 40 jpm MX-8476WH: up to 10 ipm MX-8476WH: up to 10 ipm MX-8476WH: up to 10 ipm Standard: 50 Sheets/Maximum: 2,350 Sheets Standard: 50 Sheets tay drawer (letter/statement si and 50-sheet bypass tray (letter/legal/statement/envelope
Max. Original Size Output Size Copy Speed Multiple Copy First Copy Time (in seconds) ² Warm Up Time Magnification Original Feed Scan Speed Original Sizes Paper Capacity Paper Feed	8½" x 14" Min. 5½" x 8½", Max. 8½" x 14" 37/47 ppm Max. 9,99 copies MX-B376WH Platen Glass 5.3 30 seconds (from main switch on), 20 seconds (from pow button on) 25% to 400% in 1% increments (with document feeder 25% - 200%) MX-B376WH: 50-sheet RSPF MX-B376WH: 100-sheet DSPF MX-B476WH: up to 40 ipm MX-B476WH: up to 110 ipm 55% ta 8½", 8½" x 11", 8½" x 14", 2" x 3½" business ca Standard: 550 Sheets/Maximure, 2,350 Sheets Standard: 150 Osheet paper drawer (letter/statement si and 50-sheet bypass tray (letter/legal/statement/envelope
Output Size Copy Speed Multiple Copy First Copy Time (in seconds) ² Warm Up Time Magnification Original Feed Scan Speed Original Sizes Paper Capacity Paper Feed	37/47 ppm Max. 9,999 copies MX-B376WH MX-B476WH Platen Glass 5.3 3.7 Doc. Feeder 7.3 5.5 30 seconds (from main switch on), 20 seconds (from pow button on) 25% to 400% in 1% increments (with document feeder 25% - 200%) MX-B376WH: 50-sheet RSPF MX-B476WH: up to 40 ipm MX-B376WH: up to 40 ipm MX-B476WH: up to 100 ipm MX-B476WH: up to 110 ipm 5%" x 8½", 8½" x 11", 8½" x 14", 2" x 3½" business ca Standard: 500 Sheets/Maximum: 2,350 Sheets Standard: (1) 500-sheet paper drawer (letter/statement si: and 50-sheet bypass tray (letter/legal/statement/envelope
Multiple Copy First Copy Time (in seconds) ² Warm Up Time Magnification Original Feed Scan Speed Original Sizes Paper Capacity Paper Feed	Max. 9,999 copies MX-B376WH MX-B476WH Platen Glass 5.3 3.7 Doc. Feeder 7.3 5.5 30 seconds (from main switch on), 20 seconds (from pow button on) 25% to 400% in 1% increments (with document feeder 25% - 200%) MX-B376WH: 50-sheet RSPF MX-B376WH: 100-sheet DSPF MX-B376WH: 100-sheet DSPF MX-B476WH: up to 10 ipm MX-B476WH: up to 110 ipm 5½" x 14", 2" x 3½" business ca Standard: 550 Sheets/Maximum: 2,350 Sheets Standard: 150 O-sheet bypass tray (letter/legal/statement/envelope
First Copy Time (in seconds) ² Warm Up Time Magnification Original Feed Scan Speed Original Sizes Paper Capacity Paper Feed	MX-B376WH MX-B476WH Platen Glass 5.3 3.7 Doc. Feeder 7.3 5.5 30 seconds (from main switch on), 20 seconds (from pow button on) 20 seconds (from main switch on), 20 seconds (from pow button on) 25% to 400% in 1% increments (with document feeder 25%-200%) 25%-200%) MX-B376WH: 50-sheet RSPF MX-B476WH: 100-sheet DSPF MX-B376WH: to 0-sheet DSPF MX-B476WH: up to 40 ipm MX-B476WH: up to 1010 ipm 5%" x 8½", 8½" x 11", 8½" x 14", 2" x 3½" business ca Standard: 150 Sheets/Maximum: 2,350 Sheets Standard: 150 Osheet bypase tray (letter/legal/statement si and 50-sheet bypass tray (letter/legal/statement/envelope
(in seconds) ² Warm Up Time Magnification Original Feed Scan Speed Original Sizes Paper Capacity Paper Feed	Platen Glass 5.3 3.7 Doc. Feeder 7.3 5.5 30 seconds (from main switch on), 20 seconds (from pow button on) 25% to 400% in 1% increments (with document feeder 25% - 200%) MX-B376WH: 50-sheet RSPF MX-B376WH: 100-sheet DSPF MX-B376WH: up to 40 ipm MX-B476WH: up to 110 ipm 5½" x 8½", 8½" x 11", 8½" x 14", 2" x 3½" business ca Standard: 500 Sheets/Maximum: 2,350 Sheets Standard: (1) 500-sheet paper drawer (letter/statement si and 50-sheet bypass tray (letter/legal/statement/envelope
Warm Up Time Magnification Original Feed Scan Speed Original Sizes Paper Capacity Paper Feed	Doc. Feeder 7.3 5.5 30 seconds (from main switch on), 20 seconds (from pow button on) 25% to 400% in 1% increments (with document feeder 25% - 200%) MX-B376WH: 50-sheet RSPF MX-B476WH: 100-sheet RSPF MX-B376WH: up to 40 jpm MX-B476WH: up to 100 jpm MX-B476WH: up to 1010 jpm 5%" x 8½", 8½" x 11", 8½" x 14", 2" x 3½" business ca Standard: 500 Sheets Standard: (1) 500-sheet paper drawer (letter/statement si and 50-sheet bypass tray (letter/legal/statement/envelope
Magnification Original Feed Scan Speed Original Sizes Paper Capacity Paper Feed	30 seconds (from main switch on), 20 seconds (from pow button on) 25% to 400% in 1% increments (with document feeder 25% - 200%) MX-B376WH: 50-sheet RSPF MX-B476WH: 100 - Sheet RSPF MX-B476WH: 10 to 40 ipm MX-B476WH: 10 to 40 ipm MX-B476WH: 10 to 110 ipm 5%" x 8%", 8%" x 11", 8½" x 14", 2" x 3½" business ca Standard: 550 Sheets/Maximum: 2,350 Sheets Standard: 1500-sheet paper drawer (letter/statement si and 50-sheet bypass tray (letter/legal/statement/envelope
Magnification Original Feed Scan Speed Original Sizes Paper Capacity Paper Feed	button on) 25% to 400% in 1% increments (with document feeder 25% -200%) MX-B376WH: 50-sheet RSPF MX-B376WH: up to 40 ipm MX-B476WH: up to 110 ipm 5½" x 8½", 8½" x 11", 8½" x 14", 2" x 3½" business ca Standard: 550 Sheets/Maximum: 2,350 Sheets Standard: (1) 500-sheet paper drawer (letter/statement/envelope and 50-sheet bypass tray (letter/legal/statement/envelope
Original Feed Scan Speed Original Sizes Paper Capacity Paper Feed	25% -200%) MX-B376WH: 50-sheet RSPF MX-B476WH: 100-sheet DSPF MX-B376WH: up to 40 ipm MX-B476WH: up to 110 ipm 5½" x 8½", 8½" x 11", 8½" x 14", 2" x 3½" business ca Standard: 550 Sheets/Maximum: 2,350 Sheets Standard: (1) 500-sheet paper drawer (letter/statement si and 50-sheet bypass tray (letter/legal/statement/envelope
Scan Speed Original Sizes Paper Capacity Paper Feed	MX-B376WH: 50-sheet RSPF MX-B476WH: 100-sheet DSPF MX-B376WH: up to 40 ipm MX-B476WH: up to 110 ipm 5½" x 8½", 8½" x 11", 8½" x 14", 2" x 3½" business ca Standard: 550 Sheets/Maximum: 2,350 Sheets Standard: 15 00-sheet paper drawer (letter/statement si: and 50-sheet bypass tray (letter/legal/statement/envelope
Scan Speed Original Sizes Paper Capacity Paper Feed	MX-B476WH: 100-sheet DSPF MX-B376WH: up to 40 ipm MX-B476WH: up to 110 ipm 5½" x 8½", 8½" x 11", 8½" x 14", 2" x 3½" business ca Standard: 550 Sheets/Maximum: 2,350 Sheets Standard: (1) 500-sheet paper drawer (letter/statement/envelope and 50-sheet bypass tray (letter/legal/statement/envelope
Original Sizes Paper Capacity Paper Feed	MX-B376WH: up to 40 ipm MX-B476WH: up to 110 ipm 5½" x 8½", 8½" x 11", 8½" x 14", 2" x 3½" business ca Standard: 550 Sheets/Maximum: 2,350 Sheets Standard: (1) 500-sheet paper drawer (letter/statement/envelope and 50-sheet bypass tray (letter/legal/statement/envelope
Original Sizes Paper Capacity Paper Feed	MX-B476WH: up to 110 ipm 5½" x 8½", 8½" x 11", 8½" x 14", 2" x 3½" business ca Standard: 550 Sheets/Maximum: 2,350 Sheets Standard: (1) 500-sheet paper drawer (letter/statement si and 50-sheet bypass tray (letter/legal/statement/envelope
Paper Capacity Paper Feed	5½" x 8½", 8½" x 11", 8½" x 14", 2" x 3½" business ca Standard: 550 Sheets/Maximum: 2,350 Sheets Standard: (1) 500-sheet paper drawer (letter/statement siz and 50-sheet bypass tray (letter/legal/statement/envelope
Paper Capacity Paper Feed	Standard: 550 Sheets/Maximum: 2,350 Sheets Standard: (1) 500-sheet paper drawer (letter/statement siz and 50-sheet bypass tray (letter/legal/statement/envelope
Paper Feed	Standard: (1) 500-sheet paper drawer (letter/statement siz and 50-sheet bypass tray (letter/legal/statement/envelope
	and 50-sheet bypass tray (letter/legal/statement/envelope
-,	
	size). Optional: up to 3 additional 600-sheet paper drawer
	(letter/legal/statement).
Paper Weights	Paper drawers: 16 lb. bond to 28 lb. bond. Other paper
and Types	types include plain, pre-printed, recycled, pre-punched,
	letterhead and color paper. Bypass tray: 16-28 lb. bond (p
	paper), 13-16 lb. bond (thin paper), 28 lb. bond-80 lb. cov
	(heavy paper), 20-24 lb. bond (Monarch/Com-10 envelope
	Also label paper, gloss paper, pre-printed, recycled, pre-
D	punched, letterhead, color paper and OHP film.
Duplexing	Standard automatic duplex copying and printing
CPU Interface	Up to 1.4 GHz multi-processor design RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0: 2 host po
Internace	(front and rear), 1 device port (rear), Wireless 802.11 b/g/
Memory	Standard 5 GB copy/print (shared)
Hard Disk Drive	500 GB
Copy Resolution	Up to 600 x 600 dpi
Exposure Control	Modes: Automatic, Text, Text/Photo, Text/Printed-Photo,
	Printed-Photo, Photo, Map, Pale-Color Document. Settings
	Auto or 9 step manual
Halftone	256 gradations/2 levels (monochrome)
Copy Features	Scan-Once Print-Many, electronic sorting, Auto Paper Select
	(APS), Auto Magnification Selection (AMS), Auto Tray Switch
	(ATS), black-white reversal, blank page skip, card shot, cen
	erase, centering, cover pages, edge erase, image edit, imag
	preview, insert pages, job build, job programs, margin shift,
	mirror image, mixed size original, original count, pamphlet
	style, proof copy, repeat layout, stamp, stamp custom imag
	suppress background, toner save mode, transparency inser watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot
Account Control	Up to 1,000 users. Supports user authentication via
	user-number, local login name/password, LDAP or Active
	Directory [®] for all modes
Output Tray	Center Exit Tray (Main): 280 sheets (face down)
Capacity	Inner Finisher: 280 sheets (face down)
Cloud Supported	Google Drive, Gmail, OneDrive for Business SharePoint On
Services	Exchange Online, Box.com, Dropbox
Network Protocols	
	FTP/FTPS, SNMPv3, SMTP/SMTP-SSL, P0P3/P0P3-SSL,
	LDAP/LDAP-SSL, 802.1x for Windows and Unix.

Main Specification Network and	Includes IP/MAC address filtering, protocol filtering, port
Data Security	control, TLS Encryption, Kerberos, Active Directory integration,
bala ocoarily	AES 256 bit data encryption, data overwrite (up to 10 times),
	US Department of Defense data wipe standard DoD 5220.22-M
	and End-of-Lease feature
Firmware	Flash ROM with local (USB), network update capability
Management	and firmware update 1 to N with SRDM (Sharp Remote
management	Device Manager)
Device Setup	Web-based management/cloning with user/administrator
Device Setup	level login
Service/Functions	Remote Front Panel, remote access to service logs and
	click counts
Accessibility	Free stop tilting front panel, adjustment of key touch sound
Features	and speed, concave key, document feeder free stop, job
	programs, remote front panel, universal grip for paper trays,
	and disable screen timeout
Environmental	International ENERGY STAR Program Ver. 3.0, European RoHS,
Standards	Blue Angel (RAL-UZ205)
Power	AC 110-127 VAC, 60 HZ, 12 A receptacle
Power Consumption	1.44 kW or less
Weight	Approx. 69 lbs. (MX-B376WH)/73 lbs. (MX-B476WH)
Dimensions	Approx. 19-3/8" (w) x 20-3/8" (d) 25-1/8" (h)
Notwork Drinting C	history.
Network Printing S PDL	Standard PCL compatible 6, Adobe PostScript 3
Resolution	600 x 600 dpi
Print Speed	37/47 ppm (8½" x 11")
Print Drivers	Windows 7, Windows 8.1, Windows 10, Windows Server [®] 2008
FTIIL DIVEIS	Windows Server 2008 R2, Windows Server 2012, Windows
	Server 2016, Windows Server 2019, Windows PPD, MAC OSX®
	(including 10.9 to 10.14), all MAC PPD, Linux® PPD, Universal
	Print (requires Microsoft connector)
Mobile Printing	AirPrint, Android printing framework (Sharp Print Service Plugin), Sharpdesk Mobile ³
Print Features	Auto configuration, serverless print release, bar code font
r mit r outdros	printing, carbon copy print, chapter inserts, confidential
	print, custom image registration, different cover page/last
	page/other page, document control, document filing, duplex
	printing, electronic sorting, form overlay, hidden pattern
	print, image rotation, image stamp, image type, job retention,
	layout print, margin shift, network tandem print, N-up
	printing, page interleave, pamphlet style, proof print, print
	and send, stapling, toner save mode, transparency inserts,
	tray status, user authentication, watermarks, zoom print.1
Direct Printing	File Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Compact PDF,
	Encrypted PDF, PostScript, DOCX, XLSX, PPTX, and PNG.
	Methods: FTP, SMB, Web page, Email and USB memory
Resident Fonts	80 outline fonts (PCL), 139 fonts (PS)
Operating Systems	Windows 7, Windows 8.1, Windows 10, Windows Server®
and Environments	2008, Windows Server 2008 R2, Windows Server 2012,
	Windows Server 2016, Windows Server 2019, Mac OS X10.9-
	10.14, UNIX [®] , Linux [®] , Citrix [®] (XenApp 5.0-7.15), Windows
	Remote Desktop Services, SAP device types ¹
Printing Protocols	LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FTP, POP3, HTTP,
	LPD and LPR for Unix
Natural Commit	Durken
Network Scanning	Standard: Color, monochrome, grayscale
Scan Modes	
Scan Modes Max Original Size	
Max. Original Size	8½" x 14"
Max. Original Size Optical Resolution	8½" x 14" 600 dpi
Max. Original Size Optical Resolution Output Modes	8½" x 14" 600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi
Max. Original Size Optical Resolution Output Modes Image	8½" x 14" 600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR)
Max. Original Size Optical Resolution Output Modes	8½" x 14" 600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR) Color/Grayscale: JPEG (high, middle, low)
Max. Original Size Optical Resolution Output Modes Image Compression	8½" x 14" 600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR) Color/Grayscale: JPEG (high, middle, low) Internet Fax mode: MH/MMR (option) ¹
Max. Original Size Optical Resolution Output Modes Image	8½" x 14" 600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR) Color/Grayscale: JPEG (high, middle, low) Internet Fax mode: MH/MMR (option) ¹ Monochrome: TIFF, PDF, PDF/A, Encrypted PDF, XPS,
Max. Original Size Optical Resolution Output Modes Image Compression	8½" x 14" 600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR, Color/Grayscale: JPEG (high, middle, low) Internet Fax mode: MH/MMR (option) ¹ Monochrome: TIFF, PDF, PDF/A, Encrypted PDF, XPS, Searchable PDF, DOCX, XLSX, PPTX, TXT, and RTF.
Max. Original Size Optical Resolution Output Modes Image Compression	8½" x 14" 600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR) Color/Grayscale: JPEG (high, middle, low) Internet Fax mode: MH/MMR (option) ¹ Monochrome: TIFF, DPF, PDF/A, Encrypted PDF, XPS, Searchable PDF, DOCX, XLSX, PPTX, TXT, and RTF. Color/Grayscale: TIFF, JPEG, PDF, PDF/A, Compact PDF,
Max. Original Size Optical Resolution Output Modes Image Compression	8½" x 14" 600 dpi 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR) Color/Grayscale: JPEG (high, middle, low) Internet Fax mode: MH/MMR (option) ¹ Monochrome: TIFF, PDF, PDF/A, Encrypted PDF, XPS, Searchable PDF, DOCX, XLSX, PPTX, TXT, and RTF.

TXT, and RTF. Internet Fax: TIFF-FX, TIFF-F, TIFF-S1

Network Scanning System (continued) Scan Destinations Email, Desktop, FTP, Folder (SMB), USB, Super G3 fax, Internet fax (option) One-touch Up to 2,000 (combined scan destinations) Destinations Group Destinations Up to 500 Programs 48 (combined) Max. Jobs Up to 100 Enhanced Email Standard Gmail connector, standard Exchange connector Integration (on-premise and online) Scanning Protocols HTTP/HTTPS,FTP/FTPS, SMTP/SMTP/SMTP-SSL/ESMTP, POP3, LDAP, S/MIME Software Sharpdesk® desktop personal document management software Sharpdesk Mobile (download) Super G3 Facsimile Function Public Switched Telephone Network (PSTN) Communication Line Transmission Mode Super G3, G3 Modem Speed Maximum 33.6 KBPS with auto fallback Compression JBIG, MMR, MR, MH Scanning Method Sheet fed or manual feed from platen glass Transmit Resolution 400 x 400 dpi (ultra-fine), 200 x 400 dpi (super-fine), 200 x 200 dpi (fine), 200 x 100 (standard) Half

Halftones	256 levels
Transmit Speed	Approx. 2 seconds per page in Super G3 mode
Auto Dialing	Up to 1000 destinations (combined)
Group Dialing	Up to 500 groups
Inbound Fax	To email address, FTP or SMB using Transmit Terminal
Routing	Identification (TTI), also Document Administration function
	can send blind copy of transmissions and receptions to an
	administrator email address, FTP or SMB location.
Max. Original	Up to 19.5"
Length	
Programs	48 (combined)
Memory	1 GB (shared)
Features	Transaction Reports, Activity Reports, PC Fax, F-Code
	communication, Memory Transmission, Quick On-line
	Transmission, Inbound Fax Routing, Anti-junk Fax Reception,
	Secure Fax Release, Out-of-Paper Memory Reception, Auto
	Redial, Auto Exposure, Chain Dialing, Polling Reception,
	Duplex Reception and ITU-T.37 Internet Fax Option.

MX-DS22N	High Stand
MX-DS23N	Low Stand
MX-CS14N	600-sheet Paper Feed Unit
MX-FN32	30-sheet Staple Inner Finisher
MX-SCX1	Staple Cartridge for MX-FN32
MX-FWX1L	Internet Fax Kit
MX-PF10	Bar Code Font Kit
MX-AMX1L	Application Integration Module
DVENDFSV	Generic Vendor Interface Kit
MX-FR63U	Data Security Kit (not available at time of launch)

Supplies		
MX-B45NT	Toner Cartridge	
MX-B45NV	Developer	
MX-B45DU	Drum	

¹ Some features require optional equipment. See your local dealer.

 $^{\rm 2}$ May vary depending on product configuration, machine settings and operating and/or environmental conditions.

³ Go to www.sharpusa.com for a list of supported devices and operating systems.





SHARP ELECTRONICS CORPORATION 100 Paragon Drive, Montvale, NJ 07645 1-800-BE-SHARP • www.sharpusa.com

Qualcomm[®] DirectOffice[®]







Design and specifications subject to change without notice. Sharp, Sharp OSA, Sharpdesk, My Sharp, and all related trademarks are trademarks or registered trademarks of Sharp Corporation and/or its affiliated companies. Microsoft, Office 365, Active Directory, Windows, Windows Server, Excel, PowerPoint, OneDrive, and SharePoint are trademarks or registered trademarks of Microsoft Corporation. Android, Chrome, Gmail, Google Drive and Chromebook are trademarks or registered trademarks of Google LLC. Adobe, the Adobe logo, PostScript, and PostScript 3 are either registered trademarks or trademarks of Adobe in the United States and/or other countries. Qualcomm DirectOffice is a product of Qualcomm Technologies, Inc. and/ or its subsidiaries. Qualcomm is a trademark of Qualcomm Incorporated, registered in the United States and other countries. DirectOffice is a trademark of CSR Imaging US, LP, registered in the United States and other countries, used with permission. Amazon, Alexa, and all related logos and motion marks are trademarks of Amazon.com, Inc. or its affiliates. All other trademarks are the property of their respective owners.

SHAR